

ZHEJIANG LI ANHE ELECTRONICS CO., LTD.

---

SPECIFICATION FOR APPROVAL

CUSTOMER	
DESCRIPTION	
CUSTOMER PART NO	
DATE	






APPROVED SIGNATURES)

APPROVAL)	ENGINEERING)	QC
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ZHEJIANG LI ANHE ELECTRONICS CO., LTD.

Address Chuangxin Road, Yueqing Bay Port  
Zone, Yueqing City, Zhejiang China 325600.  
Tel 0577-62383668( ) 0577-62383212(Sales)  
Fax 0577-62382566  
Web lhecncn1688.com( ) www.lhecncn.net.cn(English)

---



### Specifications

- 2 Current rating: 15A
- 3 Voltage rating: 300V AC, DC
- 4 Temperature range: -25 to +85
- 5 Contact resistance: 10m
- 6 Insulation resistance: 1000M
- 7 Withstand voltage: 2000V AC/minute
- 8 Applicable wire: AWG #20 to #16

### Performance test

Item	Test Condition	Requirement
1 Appearance	Visual by eye Light: 1.0 Lamp: 200-300Lx Space: 0.3-0.5m	1. Plastic part: smooth and flat surface without discolor, broken, crack distortion defects is acceptable. 2. Metal part: tight and even surface without rust, oxide, fog and obvious physical damage defects is acceptable. 3. Wire: clearing surface without discolor, broken defects, indistinct words and mark is acceptable.
2 Contact Resistance	1. Mate connectors, measure by dry circuit. I S P 2. Mate connectors, I A I S	10m MAX
3 Insulation Resistance		

ZHEJIANG LIANHE ELECTRONICS CO., LTD

Version Number: \_\_\_\_\_

\_\_\_\_\_



Version Number: \_\_\_\_\_

Product Number:

Part Number: \_\_\_\_\_